

CRYOSCIENCE

by Taylor-Wharton™

CX & CXR Series



CX & CXR Series

Cryo Express (CX) "dry shippers" are designed to safely transport a variety of materials at cryogenic temperatures. The unique absorbent material prevents a liquid spill if the unit is tipped over. Storage temperature inside the shipping cavity remains at approximately -190°C until the liquid nitrogen evaporates from the absorbent material.




Taylor-Wharton

CX & CXR Series

Models	CX100	CXR100	CXR500
Static Holding Time days (1)	22	16	11
Working Time days (2)	17	11	7
Evaporation Rate (1) liters/days	0.19	0.23	0.64
Liquid Nitrogen Adsorbed - liters	4.1	3.7	7
Weight Empty	- lbs. 11.7 - kg. 5.3	11.7 5.3	30 13.6
Weight Full (3)	- lbs. 19 - kg. 8.6	18.3 8.3	42.5 19.3
Neck Diameter	- in. 2.78 - mm. 71	3.58 91	8.5 216
Overall Height	- in. 18.4 - mm. 467	19.4 493	26.9 683
Overall Diameter	- in. 9.2 - mm. 234	9.2 234	15.5 391
Number of Canisters	1	1	N/A
Canister Dimensions	- in. 2.64x11.0 - mm. 67x2.79	2.64x11.0 67x2.79	N/A N/A
Number of 1.2 ml & 2.0 ml vials (5/cane) (4)	85	85	500
Number of 1.2 ml & 2.0 ml vials (6/cane) (4)	102	102	500
Number of 1/2 straws (10/cane)	280	280	N/A
Number of 1/2 cc straws - Bulk (2 levels)	980	980	N/A
Padded carton	3701-9277	N/A	N/A
5 shelf rack	N/A	N/A	RS30-9C44
Poly Carb 100 box	N/A	N/A	R24K-9C44
Shipping Case	CX10-8C00	CX10-8C00	CP19-8C00

Features

- (1) Advanced Concept Absorbent enables faster charging
- (2) Complies with IATA regulations
- (3) New rugged construction includes – dependable, stronger necktube design, ribbed high strength aluminum body, and durable paint system
- (4) Superior vacuum performance with super insulation provides maximum holding times
- (5) Optional storage accessories include a five shelf rack box system and Blood Bag rack for the CXR500
- (6) Temperature loggers are available for all models
- (7) Lockable lids



*CXR Exclusive Feature: Removable absorption material

(1) Evaporation rate and static holding time are nominal. Actual rate may be affected by the nature of the contents, atmospheric conditions, container history, and manufacturing tolerances.

(2) Work time is an arbitrary, reference-only value to estimate container performance under the actual operating conditions.

(3) Without canisters or racks

(4) CXR500 vials are stored in 100 cell boxes



Taylor-Wharton

A legacy of excellence. A vision of promise.

www.taylorwharton.com
salesandservice@taylorwharton.com

The Americas

Taylor-Wharton Cryogenics LLC

4075 Hamilton Boulevard
 Theodore, AL 36582
 Phone: +251-443-8680
 Phone: +800-898-2657

Australia

Taylor-Wharton Australia Pty. Ltd.

Unit 1/882 Leslie Drive
 Albury, NSW 2640
 Australia
 Phone: +61 (0)2 6040-2533

Europe

Taylor-Wharton Germany GmbH.

Postfach 1470
 D-25804 Husum
 Phone: +49 (0)4841-9850

Taylor-Wharton Slovakia s.r.o.

Vstupný areál U.S. Steel
 O44 54 Košice
 Slovakia
 Phone: +421 (0)55-727-7157

Asia

**Taylor-Wharton (Beijing)
 Cryogenic Equipment Co. Ltd.**

East End of Ping An Street
 Xianghe Economic Development Zone
 Xianghe City, Lang Fang Prefecture
 Hebei Province, PRC. 065402
 Phone: +86 (0)316-3219770

Taylor-Wharton Malaysia Sdn. Bhd.

Lot Nos. PT5073, 5076 & 5077
 Jalan Jangur 28/43
 Hicom Industrial Estate
 40400 Shah Alam
 Selangor Darul Ehsan
 Malaysia
 Phone: +60 (0)3-51913003

© 2011 Taylor-Wharton International. All rights reserved.